DELTALIGHT®

ENTERO RD-S 93045 W

28402 9330 W

AVAILABLE IN
BLACK 28402 9330 B
GOLD COLOURED 28402 9330 GC
WHITE 28402 9330 W





View on website

General info	
LOCATION	indoor
INSTALLATION	Ceiling Recessed
CUTOUT SHAPE/SIZE (MM)	round - 76
RECESSED DEPTH (MM)	100
THICKNESS OF MOUNTING SURFACE (MM)	max.16
INGRESS PROTECTION	IP20
WEIGHT (KG)	0.235
ADJUSTABILITY	0° to 30° swiveling, 355° rotatable
INFORMATION	REFLECTOR WFL-45° EXCL.LED POWER SUPPLY 350-700mA-DC Optional REFLECTORS 20° & 30° available

Electrical info	
CLASS	III
DIM TYPE	depending on type of external power supply
ENERGY CLASS	E
CERTIFICATES	CB, ENEC, EPD

Lightsource info	
LIGHTSOURCE NAME	LED
LIGHTSOURCE	LED array 5,8-12,4W / CRI>90 (R9: 52) / 3000K / 787-1467lm
TM-30 VALUES	Rf: 90 / Rg: 99
SDCM	SDCM1
RISKGROUP	RG1
LM80	L90B10 > 50000
LED TECHNICS (LIGHT SOURCE)	1467lm // 12,4W // 118lm/W
LED TECHNICS (LUMINAIRE)	1125lm // 14W // 79lm/W

Remarks

Max.500mA when using accessories

Requirements

LED POWER SUPPLY 350 / 500 / 700mA-DC DIM

DELTALIGHT®

ENTERO RD-S 93045 W

28402 9330 W

Options

ENTERO RD-S MOUNTING SET S2

Accessories

ENTERO S HONEYCOMB
ENTERO S LINEAR SPREAD LENS
ENTERO S SPREAD LENS
ENTERO S SOFTENING LENS
ENTERO S GLASS SBL

For detailed installation instructions, please consult the manual: **28402_XXX0_HAND.pdf**

CEILING COMPATIBILITY

Ceiling Type	Mounting Kit	
System ceiling	-	
Plasterboard	-	
Stucanet	-	
Wood	-	
Concrete	ENTERO RD-S MOUNTING SET S2	Required
Concrete + plaster	ENTERO RD-S MOUNTING SET S2	Required
Lintel + plaster	ENTERO RD-S MOUNTING SET S2	Required
Hollow-core slab	ENTERO RD-S MOUNTING SET S2	Required
Hollow-core slab + plaster	ENTERO RD-S MOUNTING SET S2	Required
Stretched ceiling	-	

DELTALIGHT®

ENTERO RD-S 93045 W

28402 9330 W

FINISH YOUR SPECIFICATION

Emergency units



21032 0270 B EMERGENCY UNIT 7W / 1h + LED INDICATOR HOLDER B ☐

21032 0270 W EMERGENCY UNIT 7W / 1h + LED INDICATOR HOLDER W ☐

DELTALIGHT®

ENTERO RD-S 93045 W

28402 9330 W

LED power supplies

				#
	**300 90 63**	LED POWER SUPPLY MULTI-POWER DIM9	1->4(4) / 1->3(3) / 1->3(3)	☐
	**300 90 68**	LED POWER SUPPLY MULTI-POWER DIM5	1->2(2) / 1->2(1) / 1->2(1)	☐
	**300 90 69**	LED POWER SUPPLY MULTI-POWER HV DIM9	2->6(6) / 1->6(4) / 1->4(3)	☐
	**300 90 124**	LED POWER SUPPLY MULTI-POWER DIM7	1->2(2) / 1->2(1) / 1(1)	☐
	**300 90 125**	LED POWER SUPPLY MULTI-POWER MINI DIM5	1->2(2) / 1->2(1) / 1(1)	☐
	**21012 0010**	LED POWER SUPPLY MULTI POWER	1->2 / 1->2 / 1->2	☐
	**21012 0021**	LED POWER SUPPLY MULTI POWER DIM1	1->3 / 1->2 / 1->2	☐
	**21012 0035**	LED POWER SUPPLY MULTI POWER DIM5	1->3 / 1->2 / 1->2	☐
	**21012 005W**	LED POWER SUPPLY MULTI-POWER COMPACT WDL	1->3 / 1->2 / 1->2	☐

DELTALIGHT®

ENTERO RD-S 93045 W

28402 9330 W

	**21012 0268**	LED POWER SUPPLY MULTI POWER 200-350 / 15W DIM8	2->2 / 2->2
	**21012 0278**	LED POWER SUPPLY MULTI POWER 500-700 / 20W DIM8	1 / 1
	**21012 0288**	LED POWER SUPPLY MULTI POWER 500-700 / 36W DIM8	2->2 / 2->2
	**21012 0298**	LED POWER SUPPLY MULTI POWER 250-900 / 20W DIM8	1->2 / 1->2 / 1->2 / 1
	**21012 0308**	LED POWER SUPPLY 350mA / 7,35W DIM8	1
	**21012 0318**	LED POWER SUPPLY 500mA / 10W DIM8	1
	**21012 0328**	LED POWER SUPPLY 700mA / 15W DIM8	1
	**21012 0480**	LED POWER SUPPLY 350mA-DC / 17W IP68	1-2(2)
	**21012 0490**	LED POWER SUPPLY 700mA-DC / 30W IP68	1-2(1)
	**21012 0500**	LED POWER SUPPLY 500mA-DC / 24W IP68	1-2(1)

DELTALIGHT®

ENTERO RD-S 93045 W

28402 9330 W



21032 0295 LED POWER CONVERTER 48V-DC to 350 mA-DC / 15W DIM5 1->2



21032 0305 LED POWER CONVERTER 48V-DC to 500 mA-DC / 22W DIM5 1->2



21032 0315 LED POWER CONVERTER 48V-DC to 700 mA-DC / 25W DIM5 1->2

Light altering devices

28500 0010 ENTERO S LINEAR SPREAD LENS

28500 0020 ENTERO S SPREAD LENS

28500 0030 ENTERO S SOFTENING LENS



28500 0040 ENTERO S GLASS SBL



28500 0050 B ENTERO S HONEYCOMB SINGLE USE B



28500 0060 B ENTERO S HONEYCOMB DOUBLE USE B

DELTALIGHT®

ENTERO RD-S 93045 W

28402 9330 W

Replaceable reflector / lens



19810 0180 SPY 52 REFLECTOR 20° ☐



19810 0190 SPY 52 REFLECTOR 45° ☐



19810 0240 SPY 52 REFLECTOR 30° ☐

Mounting set S2



28500 0190 ENTERO RD-S MOUNTING SET S2 ☐

Notes: