





## M - CUPPA C SOFT 93040 DIM5

28814 9035 B-GC

AVAILABLE IN

**BLACK-GOLD COLORED** 28814 9035 B-GC

**WHITE-GOLD COLORED** 28814 9035 W-GC



[View on website](#)



### General info

<b>LOCATION</b>	indoor
<b>INSTALLATION</b>	Low voltage systems Low voltage system mounted
<b>INGRESS PROTECTION</b>	IP20
<b>WEIGHT (KG)</b>	0.4
<b>ADJUSTABILITY</b>	non adjustable
<b>INFORMATION</b>	REFLECTOR WFL-40° EXCL.LED POWER SUPPLY 48V-DC INCL.1 x CABLE 2 x 0.75mm <sup>2</sup> / 1,6m

### Electrical info

<b>ELECTRICAL</b>	48V-DC
<b>CLASS</b>	III
<b>DIM TYPE</b>	DALI
<b>ENERGY CLASS</b>	F
<b>CERTIFICATES</b>	CB, ENEC

### Lightsource info

<b>LIGHTSOURCE NAME</b>	LED
<b>LIGHTSOURCE</b>	LED array 10,2W / CRI>90 (R9: 50) / 3000K-1800K / 1038lm
<b>SDCM</b>	SDCM2
<b>RISKGROUPE</b>	RG1
<b>LM80</b>	L90B10 > 50000
<b>BEAMANGLE</b>	40°
<b>LED TECHNICS (LIGHT SOURCE)</b>	1038lm // 10,2W // 109lm/W
<b>LED TECHNICS (LUMINAIRE)</b>	795lm // 11,7W // 68lm/W

### Remarks

Black cable for B-GC version and grey cable for W-GC version

### Requirements

CUPPA SHADE  
LED POWER SUPPLY 48V-DC

For detailed installation instructions, please consult the manual : [28814\\_XXX5\\_HAND.pdf](#)

# DELTALIGHT

## M - CUPPA C SOFT 93040 DIM5

28814 9035 B-GC

### FINISH YOUR SPECIFICATION

#### LED power supplies

#### # of Fixtures



# of fixtures indicates how many devices can be connected (min -> max) to the power supply. The values before and after the '|' correspond respectively with the minimum and maximum driving current. Values between brackets are applicable to 110V.

Min current | Max current



**300 89 48 100** LED POWER SUPPLY 48V-DC / 100W DIN

14


Dimtype: non-dimmable



**300 89 48 240** LED POWER SUPPLY 48V-DC / 240W DIN

34

Dimtype: non-dimmable




**21012 0230** LED POWER SUPPLY 48V-DC / 100W

14

Dimtype: non-dimmable

Cutout dimension (mm): 40




**21012 0240** LED POWER SUPPLY 48V-DC / 200W

29

Dimtype: non-dimmable

Cutout dimension (mm): 40

#### Suspension parts



**15229 0010 B** CABLE CLAMP B

#### Finish your product



**28800 0010 B** CUPPA SHADE 120 B

**28800 0010 GC** CUPPA SHADE 120 GC

# DELTALIGHT

## M - CUPPA C SOFT 93040 DIM5

28814 9035 B-GC


**28800 0010 W** CUPPA SHADE 120 W



**28800 0020 B** CUPPA SHADE 190 B

**28800 0020 GC** CUPPA SHADE 190 GC


**28800 0020 W** CUPPA SHADE 190 W



**28800 0030 B** CUPPA SHADE 300 B

**28800 0030 GC** CUPPA SHADE 300 GC

**28800 0030 W** CUPPA SHADE 300 W



**28800 0040 B** CUPPA DISK B

**28800 0040 W** CUPPA DISK W

## COMPATIBLE COMPOSABLES

### SHIFTLINE M26H + SBL

Available Colours



**30411 9205** SHIFTLINE M26H + SBL 2m DIM5



**30411 9305** SHIFTLINE M26H + SBL 2m DIM5



**30412 9205** SHIFTLINE M26H + SBL 3m DIM5



# DELTALIGHT

## M - CUPPA C SOFT 93040 DIM5

28814 9035 B-GC



**30412 9305** SHIFTLINE M26H + SBL 3m DIM5



**30413 9205** SHIFTLINE M26H + SBL 4m DIM5



**30413 9305** SHIFTLINE M26H + SBL 4m DIM5




### SHIFTLINE M26H profile


### Available Colours



**23359 0000** SLM26H - PROFILE



**23359 0010** SLM26H - PROFILE 1m



**23359 0020** SLM26H - PROFILE 2m




**23359 0030** SLM26H - PROFILE 3m




### SHIFTLINE M26L profile (+ SHIFTLINE M26L MATRIX)

### Available Colours



**23358 0000** SLM26L - PROFILE




**23358 0010** SLM26L - PROFILE 1m




# DELTALIGHT

## M - CUPPA C SOFT 93040 DIM5

28814 9035 B-GC



**23358 0020** SLM26L - PROFILE 2m




**23358 0030** SLM26L - PROFILE 3m




### SHIFTLINE M35R profile


Available Colours




**23375 0000** SLM35R - PROFILE



**23375 0010** SLM35R - PROFILE 1m



**23375 0020** SLM35R - PROFILE 2m




**23375 0030** SLM35R - PROFILE 3m




### SHIFTLINE M44 profile


Available Colours



**23374 0000** SLM44 - PROFILE



**23374 0020** SLM44 - PROFILE 2m



**23374 0030** SLM44 - PROFILE 3m



# DELTALIGHT

## M - CUPPA C SOFT 93040 DIM5

28814 9035 B-GC

### SPLITLINE M20 ST profile

Available Colours



**23397 0000** SPM20 ST - PROFILE



**23397 0020** SPM20 ST - PROFILE 2m




**23397 0030** SPM20 ST - PROFILE 3m




### SPLITLINE M20 profile


Available Colours




**420 20 10 00** SPM20 - PROFILE 1m



**420 20 20 00** SPM20 - PROFILE 2m



**420 20 30 00** SPM20 - PROFILE 3m




**23301 0000** SPM20 - PROFILE B




### SPLITLINE M52 profile

Available Colours



**420 52 10 00** SPM52 - PROFILE 1m




**420 52 20 00** SPM52 - PROFILE 2m




# DELTALIGHT

## M - CUPPA C SOFT 93040 DIM5

28814 9035 B-GC



**420 52 30 00** SPM52 - PROFILE 3m



**24413 0000** SPM52 - PROFILE



Notes: