





SPIX M PIN 93030 N
29712 9330 N

AVAILABLE IN
ANTHRACITE (DARK GREY) 29712 9330 N
PINE GREEN 29712 9330 PGR



 [View on website](#)

General info

LOCATION	outdoor
INSTALLATION	Floor Surface mounted
INGRESS PROTECTION	IP65
PROTECTION AGAINST MECHANICAL IMPACT	IK05
WEIGHT (KG)	0.8
INFORMATION	LENS FL-30° INCL.1 x CABLE H05 RN-F 2 x 1 mm² 2m EXCL.LED POWER SUPPLY 350-700mA-DC

Electrical info

CLASS	III
DIM TYPE	depending on type of external power supply
ENERGY CLASS	G
CERTIFICATES	CB, ENEC

Lightsource info

LIGHTSOURCE NAME	LED
LIGHTSOURCE	LED array 3,9-8,2W / CRI>90 (R9: 55) / 3000K / 385-677lm
TM-30 VALUES	Rf: 92 / Rg: 98
SDCM	SDCM2
RISKGROUP	RG2 (threshold 0,6m)
LM80	L90B10 > 41000
LED TECHNICS (LIGHT SOURCE)	677lm // 8,2W // 83lm/W
LED TECHNICS (LUMINAIRE)	454lm // 9W // 48lm/W

Requirements

LED POWER SUPPLY 350 / 500 / 700mA-DC DIM

Options

CBOX
IP68 CONNECTION KIT
IP68 CONNECTOR 3P

Accessories

KAP STRIPER
Delta Light NV may revise the information and technical data at any time without notice. Version: 03/10/2024












SPIX M PIN 93030 N











29712 9330 N

For detailed installation instructions, please consult the manual: [**29712_XXX0_HAND.pdf**](#)

FINISH YOUR SPECIFICATION


LED power supplies			#
	300 90 63 LED POWER SUPPLY MULTI-POWER DIM9	1->6(6) / 1->5(5) / 1->5(4)	<input type="checkbox"/>
	300 90 68 LED POWER SUPPLY MULTI-POWER DIM5	1->4(3) / 1->4(2) / 1->3(2) / 1->3(1)	<input type="checkbox"/>
	300 90 69 LED POWER SUPPLY MULTI-POWER HV DIM9	3->9(9) / 1->9(6) / 1->6(4)	<input type="checkbox"/>
	300 90 124 LED POWER SUPPLY MULTI-POWER DIM7	2->4(3) / 1->3(2) / 1->3(2) / 1->2(1)	<input type="checkbox"/>
	300 90 125 LED POWER SUPPLY MULTI-POWER MINI DIM5	2->4(3) / 1->3(2) / 1->3(2) / 1->2(1)	<input type="checkbox"/>
	21012 0010 LED POWER SUPPLY MULTI POWER	2->3 / 2->3 / 1->3	<input type="checkbox"/>
	21012 0021 LED POWER SUPPLY MULTI POWER DIM1	2->4 / 2->4 / 1->4	<input type="checkbox"/>
	21012 0035 LED POWER SUPPLY MULTI POWER DIM5	2->4 / 2->4 / 1->4	<input type="checkbox"/>
	21012 005W LED POWER SUPPLY MULTI-POWER COMPACT WDL	1->4 / 1->4 / 1->4 / 1->4	<input type="checkbox"/>

SPIX M PIN 93030 N
29712 9330 N

	21012 0258 LED POWER SUPPLY MULTI POWER 200-350 / 10W DIM8	2->2 <input type="checkbox"/>
	21012 0268 LED POWER SUPPLY MULTI POWER 200-350 / 15W DIM8	3->3 <input type="checkbox"/>
	21012 0278 LED POWER SUPPLY MULTI POWER 500-700 / 20W DIM8	2->2 / 2->2 <input type="checkbox"/>
	21012 0288 LED POWER SUPPLY MULTI POWER 500-700 / 36W DIM8	4->4 / 3->4 <input type="checkbox"/>
	21012 0298 LED POWER SUPPLY MULTI POWER 250-900 / 20W DIM8	1->3 / 1->3 / 1->3 / 1->2 <input type="checkbox"/>
	21012 0480 LED POWER SUPPLY 350mA-DC / 17W IP68	1->4(3) <input type="checkbox"/>
	21012 0490 LED POWER SUPPLY 700mA-DC / 30W IP68	1->3(1) <input type="checkbox"/>
	21012 0500 LED POWER SUPPLY 500mA-DC / 24W IP68	1->4(2) <input type="checkbox"/>
	21032 0295 LED POWER CONVERTER 48V-DC to 350 mA-DC / 15W DIM5	1->3 <input type="checkbox"/>
	21032 0305 LED POWER CONVERTER 48V-DC to 500 mA-DC / 22W DIM5	1->3 <input type="checkbox"/>

SPIX M PIN 93030 N


29712 9330 N



21032 0315 LED POWER CONVERTER 48V-DC to 700 mA-DC / 25W DIM5


1->3 ☐

Waterproof connection parts



216 12 00 CBOX

☐



216 12 01 IP68 CONNECTION KIT


☐



216 12 02 IP68 CONNECTOR 3P

☐

Light altering devices



223 00 10 B KAP STRIPER B

☐

Notes: