DELTALIGHT®

LEDS C R ST WW ANO

302 20 32 ANO

AVAILABLE IN
ALU ANODIZED 302 20 32 ANO





View on website

General info	
LOCATION	indoor-outdoor
INSTALLATION	Floor Recessed,Wall Recessed
CUTOUT SHAPE/SIZE (MM)	round - 41
RECESSED DEPTH (MM)	45
INGRESS PROTECTION	IP67
PROTECTION AGAINST MECHANICAL IMPACT	IK03
WEIGHT (KG)	0.1
ADJUSTABILITY	non adjustable
INFORMATION	EXCL.LED POWER SUPPLY 350mA-DC

Electrical info	
CLASS	III
DIM TYPE	depending on type of external power supply
ENERGY CLASS	E

Lightsource info	
LIGHTSOURCE NAME	LED
LIGHTSOURCE	LED cluster 1W / CRI>80 (R9: 6) / 3000K / 132lm
TM-30 VALUES	Rf: 86 / Rg: 95
SDCM	SDCM3
RISKGROUP	RG2
LM80	L90B10 > 120000
LED TECHNICS (LIGHT SOURCE)	132lm // 1W // 132lm/W
LED TECHNICS (LUMINAIRE)	38lm // 1W // 33lm/W

Requirements

LED POWER SUPPLY 350mA-DC DIM

For detailed installation instructions, please consult the manual: **302_20_31_HAND.pdf**

DELTALIGHT®

LEDS C R ST WW ANO

302 20 32 ANO

FINISH YOUR SPECIFICATION

LED power supplies			#
	**300 90 63**	LED POWER SUPPLY MULTI-POWER DIM9	1->25(25)
	**300 90 68**	LED POWER SUPPLY MULTI-POWER DIM5	2->16(15)
	**300 90 69**	LED POWER SUPPLY MULTI-POWER HV DIM9	8->39(39)
	**300 90 91**	LED POWER SUPPLY 350mA-DC / 15W	12
	**300 90 124**	LED POWER SUPPLY MULTI-POWER DIM7	6->17(15)
	**300 90 125**	LED POWER SUPPLY MULTI-POWER MINI DIM5	4->17(15)
	**21012 0010**	LED POWER SUPPLY MULTI POWER	6->15
	**21012 0021**	LED POWER SUPPLY MULTI POWER DIM1	4->18
	**21012 0035**	LED POWER SUPPLY MULTI POWER DIM5	4->18

DELTALIGHT®

LEDS C R ST WW ANO

302 20 32 ANO

	**21012 005W**	LED POWER SUPPLY MULTI-POWER COMPACT WDL	4->18
	**21012 0258**	LED POWER SUPPLY MULTI POWER 200-350 / 10W DIM8	7->10
	**21012 0268**	LED POWER SUPPLY MULTI POWER 200-350 / 15W DIM8	10->14
	**21012 0298**	LED POWER SUPPLY MULTI POWER 250-900 / 20W DIM8	3->15
	**21012 0308**	LED POWER SUPPLY 350mA / 7,35W DIM8	5->7
	**21032 0295**	LED POWER CONVERTER 48V-DC to 350 mA-DC / 15W DIM5	3->14

Notes: