





MICRO REO 92735 W

302 22 811 922 W

AVAILABLE IN

**BLACK** 302 22 811 922 B

**WHITE** 302 22 811 922 W



 [View on website](#)

General info	
LOCATION	indoor
INSTALLATION	Ceiling Recessed
CUTOUT SHAPE/SIZE (MM)	round - 46
RECESSED DEPTH (MM)	90
THICKNESS OF MOUNTING SURFACE (MM)	min.5
INGRESS PROTECTION	IP20
WEIGHT (KG)	0.1
ADJUSTABILITY	non adjustable
INFORMATION	REFLECTOR FL-35° EXCL.LED POWER SUPPLY 350mA-DC

Electrical info	
CLASS	III
DIM TYPE	depending on type of external power supply
ENERGY CLASS	D
CERTIFICATES	CB, EAC, ENEC

Lightsource info	
LIGHTSOURCE NAME	LED
LIGHTSOURCE	LED array 5,8W / CRI>90 (R9: 60) / 2700K / 753lm
TM-30 VALUES	Rf: 89 / Rg: 100
SDCM	SDCM1
RISKGROUP	RG1
LM80	L90B10 > 50000
LED TECHNICS (LIGHT SOURCE)	753lm // 5,8W // 129lm/W
LED TECHNICS (LUMINAIRE)	715lm // 7W // 107lm/W











Requirements
LED POWER SUPPLY 350mA-DC DIM

For detailed installation instructions, please consult the manual: [302\\_22\\_811\\_XXX\\_HAND.pdf](#)










MICRO REO 92735 W

302 22 811 922 W


CEILING COMPATIBILITY

Ceiling Type	Mounting Kit
 System ceiling	-
 Plasterboard	-
 Stucanet	-
 Wood	-
 Concrete	-
 Concrete + plaster	-
 Lintel + plaster	-
 Hollow-core slab	-
 Hollow-core slab + plaster	-
 Stretched ceiling	-

FINISH YOUR SPECIFICATION

LED power supplies			#
	<b>300 90 63</b> LED POWER SUPPLY MULTI-POWER DIM9	1->3(3)	<input type="checkbox"/>
	<b>300 90 68</b> LED POWER SUPPLY MULTI-POWER DIM5	1->2(1)	<input type="checkbox"/>
	<b>300 90 69</b> LED POWER SUPPLY MULTI-POWER HV DIM9	2->5(5)	<input type="checkbox"/>
	<b>300 90 124</b> LED POWER SUPPLY MULTI-POWER DIM7	2 (2)	<input type="checkbox"/>
	<b>300 90 125</b> LED POWER SUPPLY MULTI-POWER MINI DIM5	2 (2)	<input type="checkbox"/>
	<b>21012 0010</b> LED POWER SUPPLY MULTI POWER	1->2	<input type="checkbox"/>
	<b>21012 0021</b> LED POWER SUPPLY MULTI POWER DIM1	1->2	<input type="checkbox"/>
	<b>21012 0035</b> LED POWER SUPPLY MULTI POWER DIM5	1->2	<input type="checkbox"/>
	<b>21012 005W</b> LED POWER SUPPLY MULTI-POWER COMPACT WDL	1->2	<input type="checkbox"/>


MICRO REO 92735 W  
302 22 811 922 W



122 23 41

**21012 0258** LED POWER SUPPLY MULTI POWER 200-350 / 10W DIM8


1 ☐



140 26 38

**21012 0298** LED POWER SUPPLY MULTI POWER 250-900 / 20W DIM8


2 ☐



140 26 38

**21012 0480** LED POWER SUPPLY 350mA-DC / 17W IP68

1-2(2) ☐



22 171 90

**21032 0295** LED POWER CONVERTER 48V-DC to 350 mA-DC / 15W DIM5

1 ☐

Notes: