





MICRO REO X 92735 B

302 23 811 922 B

AVAILABLE IN  
**BLACK** 302 23 811 922 B  
**FLEMISH BRONZE OUTDOOR** 302 23 811 922 FBRX  
**ANTHRACITE (DARK GREY)** 302 23 811 922 N  
**WHITE** 302 23 811 922 W



 [View on website](#)

General info

LOCATION	indoor-outdoor
INSTALLATION	Ceiling Recessed
CUTOUT SHAPE/SIZE (MM)	round - 46
RECESSED DEPTH (MM)	90
THICKNESS OF MOUNTING SURFACE (MM)	min.5
INGRESS PROTECTION	IP43/20
PROTECTION AGAINST MECHANICAL IMPACT	IK03
WEIGHT (KG)	0.1
ADJUSTABILITY	non adjustable
INFORMATION	REFLECTOR FL-35° EXCL.LED POWER SUPPLY 350mA-DC

Electrical info

CLASS	III
DIM TYPE	depending on power supply
ENERGY CLASS	D
CERTIFICATES	CB, EAC, ENEC

Lightsource info

LIGHTSOURCE NAME	LED
LIGHTSOURCE	LED array 5,8W / CRI>90 (R9: 60) / 2700K / 753lm
TM-30 VALUES	rf: 89 / Rg: 100
SDCM	SDCM1
RISKGROUP	RG1
LM80	L90B10 > 50000
LED TECHNICS (LIGHT SOURCE)	753lm // 5,8W // 129lm/W
LED TECHNICS (LUMINAIRE)	715lm // 7W // 107lm/W

Requirements







LED POWER SUPPLY 350mA-DC DIM

**MICRO REO X 92735 B**

302 23 811 922 B

For detailed installation instructions, please consult the manual: [302\\_23\\_811\\_XXX\\_HAND.pdf](#)










**CEILING COMPATIBILITY**

Ceiling Type	Mounting Kit
 <b>Concrete</b>	-
 <b>Concrete + plaster</b>	-
 <b>Lintel + plaster</b>	-
 <b>Hollow-core slab</b>	-
 <b>Hollow-core slab + plaster</b>	-
 <b>Stretched ceiling</b>	-

MICRO REO X 92735 B


302 23 811 922 B

FINISH YOUR SPECIFICATION

LED power supplies			#
	<b>300 90 63</b> LED POWER SUPPLY MULTI-POWER DIM9	1->4(4)	<input type="checkbox"/>
	<b>300 90 68</b> LED POWER SUPPLY MULTI-POWER DIM5	1->2(1)	<input type="checkbox"/>
	<b>300 90 69</b> LED POWER SUPPLY MULTI-POWER HV DIM9	2->5(5)	<input type="checkbox"/>
	<b>300 90 124</b> LED POWER SUPPLY MULTI-POWER DIM7	2 (2)	<input type="checkbox"/>
	<b>300 90 125</b> LED POWER SUPPLY MULTI-POWER MINI DIM5	2 (2)	<input type="checkbox"/>
	<b>21012 0010</b> LED POWER SUPPLY MULTI POWER	1->2	<input type="checkbox"/>
	<b>21012 0021</b> LED POWER SUPPLY MULTI POWER DIM1	1->2	<input type="checkbox"/>
	<b>21012 0035</b> LED POWER SUPPLY MULTI POWER DIM5	1->2	<input type="checkbox"/>
	<b>21012 005W</b> LED POWER SUPPLY MULTI-POWER COMPACT WDL	1->2	<input type="checkbox"/>


MICRO REO X 92735 B

302 23 811 922 B




**21012 0258** LED POWER SUPPLY MULTI POWER 200-350 / 10W DIM8

1 ☐




**21012 0298** LED POWER SUPPLY MULTI POWER 250-900 / 20W DIM8

2 ☐



**21012 0480** LED POWER SUPPLY 350mA-DC / 17W IP68

1-2(2) ☐



**21032 0295** LED POWER CONVERTER 48V-DC to 350 mA-DC / 15W DIM5

1 ☐

Notes: