



SUPERLOOP VC 90 SBL 930 B

321 509 93 B



AVAILABLE IN

BLACK 321 509 93 B

FLEMISH BRONZE 321 509 93 FBR

FLEMISH GOLD 321 509 93 FG

WHITE 321 509 93 W



[View on website](#)

General info

LOCATION	indoor
INSTALLATION	Ceiling Suspended
INGRESS PROTECTION	IP20
WEIGHT (KG)	3,4
ADJUSTABILITY	non adjustable
INFORMATION	INCL.PC SBL EXCL.LED POWER SUPPLY 700-900mA-DC INCL.2 x CABLE SUSPENSION SINGLE AUTO. 3.0m INCL.1 x CABLE 2 x 0.75mm ²

Electrical info

CLASS	III
DIM TYPE	depending on type of external power supply
ENERGY CLASS	E

Lightsource info

LIGHTSOURCE NAME	LED
LIGHTSOURCE	LED cluster 28,2-39W / CRI>90 (R9: 59) / 3000K / 3888-5160lm
SDCM	SDCM3
LM80	L70 > 30000
LED TECHNICS (LIGHT SOURCE)	5160lm // 39W // 132lm/W
LED TECHNICS (LUMINAIRE)	3101lm // 45W // 69lm/W

Requirements

LED POWER SUPPLY 700 / 900mA-DC DIM

SUPERLOOP POWERBOX L/H 700mA

SUPERLOOP POWERBOX H 900mA

For detailed installation instructions, please consult the manual: [321_509_XX_HAND.pdf](#)


SUPERLOOP VC 90 SBL 930 B

321 509 93 B

FINISH YOUR SPECIFICATION

Power box

#




321 55 207 ED1 B SUPERLOOP POWERBOX L 700mA DIM1 B

1

☐

321 55 207 ED1 W SUPERLOOP POWERBOX L 700mA DIM1 W

1

☐



321 55 307 ED5 B SUPERLOOP POWERBOX H8 700mA DIM5 B

1

☐

321 55 307 ED5 W SUPERLOOP POWERBOX H8 700mA DIM5 W

1

☐


20548 0015 B SUPERLOOP POWERBOX H9 900mA DIM5 B

1

☐


20548 0015 W SUPERLOOP POWERBOX H9 900mA DIM5 W

1

☐


LED power supplies

#




300 90 128 LED POWER SUPPLY 700mA-DC / 36W DIM1

1

☐


300 90 129 LED POWER SUPPLY 900mA-DC / 60W DIM5

1

☐


300 90 131 LED POWER SUPPLY 700mA-DC / 38W DIM5

1

☐



SUPERLOOP VC 90 SBL 930 B

321 509 93 B

Notes: