





M - LED LINE HE 1 x 12,6W MDL B

421 313 06 93 MDL B

AVAILABLE IN
BLACK 421 313 06 93 MDL B



[View on website](#)



General info

LOCATION	indoor
INSTALLATION	Low voltage systems Low voltage system mounted
INGRESS PROTECTION	IP20
WEIGHT (KG)	0.3
ADJUSTABILITY	non adjustable
INFORMATION	LED FLEX 21W/m 3000K / CRI90 2600lm/m EXCL.LED POWER SUPPLY 48V-DC

Electrical info

ELECTRICAL	48V-DC
CLASS	III
POWER SUPPLY INCLUDED	YES
DIM TYPE	MDL = 1-10V or DALI or push button
ENERGY CLASS	E
CERTIFICATES	CB, EAC, ENEC

Lightsource info

LIGHTSOURCE NAME	LED
LIGHTSOURCE	LED flex 12,6W / CRI>90 (R9: 60) / 3000K / 1500lm
SDCM	SDCM3
LM80	L70 > 30000
LED TECHNICS (LIGHT SOURCE)	1500lm // 12,6W // 119lm/W
LED TECHNICS (LUMINAIRE)	625lm // 14W // 43lm/W

Remarks

Take a look at our **MAGNETIC PROFILES** movie

Requirements

LED POWER SUPPLY 48V-DC

Options

DIMMABLE MODULATOR



M - LED LINE HE 1 x 12,6W MDL B

421 313 06 93 MDL B

For detailed installation instructions, please consult the manual: [421_313_06_XX_MDL_HAND.pdf](#)

M - LED LINE HE 1 x 12,6W MDL B

421 313 06 93 MDL B

FINISH YOUR SPECIFICATION

Current supply #



21032 0030 SMART 48 MODULATOR PLUG-IN WD

13 ☐

SMART 48 #



300 90 011 SMART 48 MODULATOR DIM9


13 ☐



300 90 012 SMART 48 MODULATOR WD


13 ☐

LED power supplies #



300 89 48 100 LED POWER SUPPLY 48V-DC / 100W DIN

7 ☐



300 89 48 240 LED POWER SUPPLY 48V-DC / 240W DIN

16 ☐



21012 0230 LED POWER SUPPLY 48V-DC / 100W

7 ☐



21012 0240 LED POWER SUPPLY 48V-DC / 200W


13 ☐

M - LED LINE HE 1 x 12,6W MDL B


421 313 06 93 MDL B

COMPATIBLE COMPOSABLES


SHIFTLINE M26H profile Available Colours




23359 0000 SLM26H - PROFILE



23359 0010 SLM26H - PROFILE 1m




23359 0020 SLM26H - PROFILE 2m




23359 0030 SLM26H - PROFILE 3m




SHIFTLINE M26L profile (+ SHIFTLINE M26L MATRIX) Available Colours




23358 0000 SLM26L - PROFILE



23358 0010 SLM26L - PROFILE 1m



23358 0020 SLM26L - PROFILE 2m



23358 0030 SLM26L - PROFILE 3m



M - LED LINE HE 1 x 12,6W MDL B

421 313 06 93 MDL B

SPLITLINE M20 ST profile

Available Colours



23397 0000 SPM20 ST - PROFILE



23397 0020 SPM20 ST - PROFILE 2m




23397 0030 SPM20 ST - PROFILE 3m




SPLITLINE M20 profile


Available Colours




420 20 10 00 SPM20 - PROFILE 1m



420 20 20 00 SPM20 - PROFILE 2m



420 20 30 00 SPM20 - PROFILE 3m



23301 0000 SPM20 - PROFILE B



Notes: