





M - MICROSPY 39 C 93045 MDL B

421 612 811 931 MDL B

AVAILABLE IN  
**BLACK** 421 612 811 931 MDL B  
**WHITE** 421 612 811 931 MDL W



[View on website](#)

General info	
LOCATION	indoor
INSTALLATION	Low voltage systems Low voltage system mounted
INGRESS PROTECTION	IP20
WEIGHT (KG)	0.7
ADJUSTABILITY	non adjustable
INFORMATION	REFLECTOR WFL-45° EXCL.LED POWER SUPPLY 48V-DC INCL.1 x CABLE 2 x 0.75mm <sup>2</sup>

Electrical info	
ELECTRICAL	48V-DC
CLASS	III
DIM TYPE	MDL = 1-10V or DALI or push button
ENERGY CLASS	D
CERTIFICATES	EAC, ENEC

Lightsource info	
LIGHTSOURCE NAME	LED
LIGHTSOURCE	LED array 5,8W / CRI>90 (R9: 52) / 3000K / 787lm
TM-30 VALUES	Rf: 90 / Rg: 99
SDCM	SDCM1
RISKGROUP	RG1
LM80	L90B10 > 50000
LED TECHNICS (LIGHT SOURCE)	787lm // 5,8W // 135lm/W
LED TECHNICS (LUMINAIRE)	530lm // 7W // 79lm/W

Requirements
LED POWER SUPPLY 48V-DC

Options
DIMMABLE MODULATOR



## **M - MICROSPY 39 C 93045 MDL B**

421 612 811 931 MDL B

For detailed installation instructions, please consult the manual: [421\\_612\\_811\\_XXX\\_MDL\\_HAND.pdf](#)

M - MICROSPY 39 C 93045 MDL B

421 612 811 931 MDL B

FINISH YOUR SPECIFICATION

Current supply #



**21032 0030** SMART 48 MODULATOR PLUG-IN WD

23 ☐

SMART 48 #



**300 90 011** SMART 48 MODULATOR DIM9


23 ☐



**300 90 012** SMART 48 MODULATOR WD


23 ☐

LED power supplies #



**300 89 48 100** LED POWER SUPPLY 48V-DC / 100W DIN

12 ☐



**300 89 48 240** LED POWER SUPPLY 48V-DC / 240W DIN

29 ☐



**21012 0230** LED POWER SUPPLY 48V-DC / 100W

12 ☐



































**21012 0240** LED POWER SUPPLY 48V-DC / 200W

24 ☐

M - MICROSPY 39 C 93045 MDL B









421 612 811 931 MDL B









COMPATIBLE COMPOSABLES

SHIFTLINE M26H profile		Available Colours
	<b>23359 0000</b> SLM26H - PROFILE	 
	<b>23359 0010</b> SLM26H - PROFILE 1m	 
	<b>23359 0020</b> SLM26H - PROFILE 2m	   
	<b>23359 0030</b> SLM26H - PROFILE 3m	   
SHIFTLINE M26L profile (+ SHIFTLINE M26L MATRIX)		Available Colours
	<b>23358 0000</b> SLM26L - PROFILE	 
	<b>23358 0010</b> SLM26L - PROFILE 1m	 
	<b>23358 0020</b> SLM26L - PROFILE 2m	   
	<b>23358 0030</b> SLM26L - PROFILE 3m	   

M - MICROSPY 39 C 93045 MDL B









421 612 811 931 MDL B

SPLITLINE M20 ST profile		Available Colours
	<b>23397 0000</b> SPM20 ST - PROFILE	 
	<b>23397 0020</b> SPM20 ST - PROFILE 2m	 
	<b>23397 0030</b> SPM20 ST - PROFILE 3m	 

SPLITLINE M20 profile		Available Colours
	<b>420 20 10 00</b> SPM20 - PROFILE 1m	
	<b>420 20 20 00</b> SPM20 - PROFILE 2m	
	<b>420 20 30 00</b> SPM20 - PROFILE 3m	
	<b>23301 0000</b> SPM20 - PROFILE B	

**M - MICROSPY 39 C 93045 MDL B**

421 612 811 931 MDL B

SPLITLINE M52 profile	Available Colours
<div>  </div> <div> <b>420 52 10 00</b> SPM52 - PROFILE 1m         </div>	
<div>  </div> <div> <b>420 52 20 00</b> SPM52 - PROFILE 2m         </div>	
<div>  </div> <div> <b>420 52 30 00</b> SPM52 - PROFILE 3m         </div>	
<div>  </div> <div> <b>24413 0000</b> SPM52 - PROFILE         </div>	

Notes: