





M - GIBBO 927 MDL B

421 622 811 920 MDL B

AVAILABLE IN

BLACK 421 622 811 920 MDL B

WHITE 421 622 811 920 MDL W



[View on website](#)



General info

| | |
|---------------------------|---|
| LOCATION | indoor |
| INSTALLATION | Low voltage systems Low voltage system mounted |
| INGRESS PROTECTION | IP20 |
| WEIGHT (KG) | 0.5 |
| ADJUSTABILITY | non adjustable |
| INFORMATION | EXCL.GLASS EXCL.LED POWER SUPPLY 48V-DC INCL.1 x CABLE SUSPENSION SINGLE AUTOMATIC 1.6m INCL.1 x CABLE 2 x 0.75mm ² |

Electrical info

| | |
|---------------------|------------------------------------|
| ELECTRICAL | 48V-DC |
| CLASS | III |
| DIM TYPE | MDL = 1-10V or DALI or push button |
| ENERGY CLASS | E |
| CERTIFICATES | EAC, ENEC |

Lightsource info

| | |
|------------------------------------|--|
| LIGHTSOURCE NAME | LED |
| LIGHTSOURCE | LED array 5,8W / CRI>90 (R9: 60) / 2700K / 753lm |
| TM-30 VALUES | Rf: 89 / Rg: 100 |
| SDCM | SDCM1 |
| RISKGROUP | RG1 |
| LM80 | L90B10 > 50000 |
| LED TECHNICS (LIGHT SOURCE) | 753lm // 5,8W // 129lm/W |
| LED TECHNICS (LUMINAIRE) | 738lm // 7W // 111lm/W |

Requirements

BOWL GLASS CLEAR
BOWL GLASS AMBER
BOWL GLASS OPAL WHITE
LED POWER SUPPLY 48V-DC

Options

DIMMABLE MODULATOR

M - GIBBO 927 MDL B

421 622 811 920 MDL B

For detailed installation instructions, please consult the manual: [421_622_811_XXX_MDL_HAND.pdf](#)

M - GIBBO 927 MDL B
421 622 811 920 MDL B

FINISH YOUR SPECIFICATION

Current supply #



21032 0030 SMART 48 MODULATOR PLUG-IN WD

23 ☐

SMART 48 #



300 90 011 SMART 48 MODULATOR DIM9


23 ☐



300 90 012 SMART 48 MODULATOR WD


23 ☐

LED power supplies #



300 89 48 100 LED POWER SUPPLY 48V-DC / 100W DIN

12 ☐



300 89 48 240 LED POWER SUPPLY 48V-DC / 240W DIN

29 ☐



21012 0230 LED POWER SUPPLY 48V-DC / 100W

12 ☐



21012 0240 LED POWER SUPPLY 48V-DC / 200W

24 ☐

M - GIBBO 927 MDL B

421 622 811 920 MDL B

To be used with ...



286 67 01 BOWL GLASS CLEAR

☐

286 67 02 BOWL GLASS AMBER

☐

286 67 03 BOWL GLASS OPAL WHITE


☐

M - GIBBO 927 MDL B


421 622 811 920 MDL B

COMPATIBLE COMPOSABLES


SHIFTLINE M26H profile Available Colours




23359 0000 SLM26H - PROFILE



23359 0010 SLM26H - PROFILE 1m




23359 0020 SLM26H - PROFILE 2m




23359 0030 SLM26H - PROFILE 3m




SHIFTLINE M26L profile (+ SHIFTLINE M26L MATRIX) Available Colours




23358 0000 SLM26L - PROFILE



23358 0010 SLM26L - PROFILE 1m



23358 0020 SLM26L - PROFILE 2m



23358 0030 SLM26L - PROFILE 3m



M - GIBBO 927 MDL B

421 622 811 920 MDL B

SPLITLINE M20 ST profile

Available Colours



23397 0000 SPM20 ST - PROFILE



23397 0020 SPM20 ST - PROFILE 2m




23397 0030 SPM20 ST - PROFILE 3m




SPLITLINE M20 profile


Available Colours




420 20 10 00 SPM20 - PROFILE 1m



420 20 20 00 SPM20 - PROFILE 2m



420 20 30 00 SPM20 - PROFILE 3m











23301 0000 SPM20 - PROFILE B



M - GIBBO 927 MDL B

421 622 811 920 MDL B

| SPLITLINE M52 profile | | Available Colours |
|--|--|---|
|  | 420 52 10 00 SPM52 - PROFILE 1m |  |
|  | 420 52 20 00 SPM52 - PROFILE 2m |  |
|  | 420 52 30 00 SPM52 - PROFILE 3m |  |
|  | 24413 0000 SPM52 - PROFILE |  |

Notes: