





M - GIBBO 927 MDL W

421 622 811 920 MDL W

AVAILABLE IN

BLACK 421 622 811 920 MDL B

WHITE 421 622 811 920 MDL W



[View on website](#)

General info

LOCATION	indoor
INSTALLATION	Low voltage systems Low voltage system mounted
INGRESS PROTECTION	IP20
WEIGHT (KG)	0.5
ADJUSTABILITY	non adjustable
INFORMATION	EXCL.GLASS EXCL.LED POWER SUPPLY 48V-DC INCL.1 x CABLE SUSPENSION SINGLE AUTOMATIC 1.6m INCL.1 x CABLE 2 x 0.75mm <sup>2</sup>

Electrical info

ELECTRICAL	48V-DC
CLASS	III
DIM TYPE	MDL = 1-10V or DALI or push button
ENERGY CLASS	E
CERTIFICATES	EAC, ENEC

Lightsource info

LIGHTSOURCE NAME	LED
LIGHTSOURCE	LED array 5,8W / CRI>90 (R9: 60) / 2700K / 753lm
TM-30 VALUES	rf: 89 / Rg: 100
SDCM	SDCM1
RISKGROUP	RG1
LM80	L90B10 > 50000
LED TECHNICS (LIGHT SOURCE)	753lm // 5,8W // 129lm/W
LED TECHNICS (LUMINAIRE)	738lm // 7W // 111lm/W

Requirements

BOWL GLASS CLEAR  
BOWL GLASS AMBER  
BOWL GLASS OPAL WHITE  
LED POWER SUPPLY 48V-DC

Options

DIMMABLE MODULATOR



## **M - GIBBO 927 MDL W**

421 622 811 920 MDL W

For detailed installation instructions, please consult the manual: [421\\_622\\_811\\_XXX\\_MDL\\_HAND.pdf](#)

M - GIBBO 927 MDL W

421 622 811 920 MDL W

FINISH YOUR SPECIFICATION

Current supply #



**21032 0030** SMART 48 MODULATOR PLUG-IN WD

23 ☐

SMART 48 #



**300 90 011** SMART 48 MODULATOR DIM9


23 ☐



**300 90 012** SMART 48 MODULATOR WD


23 ☐

LED power supplies #




**300 89 48 100** LED POWER SUPPLY 48V-DC / 100W DIN

12 ☐



**300 89 48 240** LED POWER SUPPLY 48V-DC / 240W DIN

29 ☐



**21012 0230** LED POWER SUPPLY 48V-DC / 100W

12 ☐



**21012 0240** LED POWER SUPPLY 48V-DC / 200W

24 ☐

M - GIBBO 927 MDL W

421 622 811 920 MDL W

To be used with ...



**286 67 01** BOWL GLASS CLEAR

☐

**286 67 02** BOWL GLASS AMBER

































☐

**286 67 03** BOWL GLASS OPAL WHITE

☐

M - GIBBO 927 MDL W  
421 622 811 920 MDL W

COMPATIBLE COMPOSABLES

SHIFTLINE M26H profile		Available Colours
	<b>23359 0000</b> SLM26H - PROFILE	 
	<b>23359 0010</b> SLM26H - PROFILE 1m	 
	<b>23359 0020</b> SLM26H - PROFILE 2m	   
	<b>23359 0030</b> SLM26H - PROFILE 3m	   
SHIFTLINE M26L profile (+ SHIFTLINE M26L MATRIX)		Available Colours
	<b>23358 0000</b> SLM26L - PROFILE	 
	<b>23358 0010</b> SLM26L - PROFILE 1m	 
	<b>23358 0020</b> SLM26L - PROFILE 2m	   
	<b>23358 0030</b> SLM26L - PROFILE 3m	   

M - GIBBO 927 MDL W

421 622 811 920 MDL W

SPLITLINE M20 ST profile

Available Colours



**23397 0000** SPM20 ST - PROFILE



**23397 0020** SPM20 ST - PROFILE 2m




**23397 0030** SPM20 ST - PROFILE 3m




SPLITLINE M20 profile


Available Colours




**420 20 10 00** SPM20 - PROFILE 1m



**420 20 20 00** SPM20 - PROFILE 2m



**420 20 30 00** SPM20 - PROFILE 3m











**23301 0000** SPM20 - PROFILE B



M - GIBBO 927 MDL W

421 622 811 920 MDL W

SPLITLINE M52 profile		Available Colours
	<b>420 52 10 00</b> SPM52 - PROFILE 1m	
	<b>420 52 20 00</b> SPM52 - PROFILE 2m	
	<b>420 52 30 00</b> SPM52 - PROFILE 3m	
	<b>24413 0000</b> SPM52 - PROFILE	

Notes: