





PUNK 451 C 92740 DIM8 B

471 221 922 ED8 B

AVAILABLE IN
BLACK 471 221 922 ED8 B
BLACK PURE 471 221 922 ED8 BP
GOLD COLOURED 471 221 922 ED8 GC



 [View on website](#)

General info	
LOCATION	indoor
INSTALLATION	Ceiling Suspended
INGRESS PROTECTION	IP20
WEIGHT (KG)	0.9
ADJUSTABILITY	non adjustable
INFORMATION	REFLECTOR WFL-40° INCL.DIMMABLE LED POWER SUPPLY 350mA-DC INCL.1 x CABLE SUSPENSION SINGLE AUTO. 1.6m INCL.1 x CABLE 2 x 0.75mm ²

Electrical info	
ELECTRICAL	220-240V / 50-60Hz
CLASS	I
POWER SUPPLY	YES
DIM TYPE	mains (phase cut-off)
ENERGY CLASS	F
CERTIFICATES	CB, EAC, RCM

Lightsource info	
LIGHTSOURCE NAME	LED
LIGHTSOURCE	LED array 6,4W / CRI>90 / 2700K / 587lm
SDCM	SDCM2
RISKGROUP	RG1
LED TECHNICS (LIGHT SOURCE)	587lm // 6,4W // 92lm/W
LED TECHNICS (LUMINAIRE)	488lm // 7W // 66lm/W

Requirements	
MIDISPY TUBE	

Options	
SUSPENSION + CONNECTION TRIMLESS	
COVERSET R 90-100	



PUNK 451 C 92740 DIM8 B

471 221 922 ED8 B


For detailed installation instructions, please consult the manual: [471_221_XXX_ED8_HAND.pdf](#)

PUNK 451 C 92740 DIM8 B

471 221 922 ED8 B

FINISH YOUR SPECIFICATION


Control gear, ballast and transformers



300 90 004 ED8 WIRELESS CONTROL DIM8

☐

Coversets




204 00 100 B COVERSET R 100 B

☐

204 00 100 W COVERSET R 100 W

☐

Suspension parts



328 10 02 SUSPENSION + CONNECTION TRIMLESS O.F.A.


☐

DELTA LIGHT®

PUNK 451 C 92740 DIM8 B

471 221 922 ED8 B

Finish your product

	414 03 00 B	MIDISPY TUBE B	<input type="checkbox"/>
	414 03 00 FBR	MIDISPY TUBE FBR	<input type="checkbox"/>
	414 03 00 FG	MIDISPY TUBE FG	<input type="checkbox"/>
	414 03 00 MMAT	MIDISPY TUBE MMAT	<input type="checkbox"/>
	414 03 00 SG	MIDISPY TUBE SG	<input type="checkbox"/>
	414 03 00 W	MIDISPY TUBE W	<input type="checkbox"/>

Notes: