



## VIZIR ON 2 92733 DIM1 BBR-B



473 131 812 922 ED1 BBR-B

AVAILABLE IN

**BLACK BRONZE-BLACK** 473 131 812 922 ED1 BBR-B

**GOLD COLORED-BLACK** 473 131 812 922 ED1 GC-B

**WHITE-WHITE** 473 131 812 922 ED1 W-W



[View on website](#)



### General info

<b>LOCATION</b>	indoor
<b>INSTALLATION</b>	Ceiling Surface mounted, Wall Surface mounted
<b>INGRESS PROTECTION</b>	IP20
<b>WEIGHT (KG)</b>	0.9
<b>ADJUSTABILITY</b>	0° to 90° swiveling, 355° rotatable
<b>INFORMATION</b>	2 x REFLECTOR FL-33° INCL.DIMMABLE LED POWER SUPPLY 350mA-DC

### Electrical info

<b>ELECTRICAL</b>	220-240V / 50-60Hz
<b>CLASS</b>	I
<b>POWER SUPPLY</b>	YES
<b>DIM TYPE</b>	1-10V
<b>ENERGY CLASS</b>	D
<b>CERTIFICATES</b>	EAC, ENEC, RCM

### Lightsource info

<b>LIGHTSOURCE NAME</b>	LED
<b>LIGHTSOURCE</b>	2 x (LED array 5,8W / CRI>90 (R9: 60) / 2700K / 753lm)
<b>TM-30 VALUES</b>	rf: 89 / Rg: 100
<b>SDCM</b>	SDCM1
<b>RISKGROUP</b>	RG1
<b>LM80</b>	L90B10 > 50000
<b>LED TECHNICS (LIGHT SOURCE)</b>	1506lm // 11,6W // 129lm/W
<b>LED TECHNICS (LUMINAIRE)</b>	756lm // 13W // 57lm/W

### Requirements

VIZIR TUBE

### Accessories

VIZIR HONEYCOMB  
VIZIR SOFTENING LENS


VIZIR ON 2 92733 DIM1 BBR-B

473 131 812 922 ED1 BBR-B

For detailed installation instructions, please consult the manual: [473\\_131\\_812\\_XXX\\_ED1\\_HAND.pdf](#)

FINISH YOUR SPECIFICATION


Miscellaneous control equipment




**300 90 016 ED1** WIRELESS CONTROL 5A DIM1

☐

Light altering devices




**473 03 01 B** VIZIR HONEYCOMB B

☐

**473 03 04** VIZIR SOFTENING LENS

☐

Finish your product



**473 01 00 B** VIZIR TUBE B

☐

**473 01 00 FBR** VIZIR TUBE FBR

☐

**473 01 00 FG** VIZIR TUBE FG

☐

**473 01 00 W** VIZIR TUBE W

☐



## VIZIR ON 2 92733 DIM1 BBR-B

473 131 812 922 ED1 BBR-B

Notes: