



SPY 52 TRIMLESS SOFT 93045 FBR

19812 9030 FBR

AVAILABLE IN



BLACK 19812 9030 B

FLEMISH BRONZE 19812 9030 FBR

FLEMISH GOLD 19812 9030 FG

GOLD COLORED 19812 9030 GC

WHITE 19812 9030 W



[View on website](#)

General info

LOCATION	interior
INSTALLATION	Ceiling Recessed
CUTOUT SHAPE/SIZE (MM)	round - Ø KIT
RECESSED DEPTH (MM)	80
INGRESS PROTECTION	IP20
WEIGHT (KG)	0.4
ADJUSTABILITY	0° to 45° swiveling, 355° rotatable
INFORMATION	REFLECTOR WFL-45° EXCLLED POWER SUPPLY 250mA-DC Optional REFLECTOR 20° available

Electrical info

CLASS	III
ENERGY CLASS	E

Lightsource info

Lightsource Name	LED
Lightsource	LED array 8,3W / CRI>90 (R9: 50) / 3000K-1800K / 934lm
TM-30 Values	Rf: 90 / Rg: 99
SDCM	SDCM2
Riskgroup	RG1
LM80	L90B10 > 50000
LED Technics (light source)	934lm // 8,3W // 113lm/W
LED Technics (luminaire)	598lm // 10W // 63lm/W

Requirements

SPY 52 TUBE
MOUNTING KIT SPY 39/52 TRIMLESS O.F.A.
MOUNTING KIT AIR 103
LED POWER SUPPLY 250mA-DC DIM

SPY 52 TRIMLESS SOFT 93045 FBR
















19812 9030 FBR

Accessories

HONEYCOMB 42
SPREAD LENS 42
LINEAR SPREAD LENS 42
SOFTENING LENS 42
GLASS SBL 42

For detailed installation instructions, please consult the manual: [19812_XXX0_HAND.pdf](#)

CEILING COMPATIBILITY

Ceiling Type	Mounting Kit
 System ceiling	 MOUNTING KIT SPY 39/52 TRIMLESS O.F.A. Required
 Plasterboard	 MOUNTING KIT SPY 39/52 TRIMLESS O.F.A. Required
 Stucanet	 MOUNTING KIT SPY 39/52 TRIMLESS O.F.A. Required
 Concrete + plaster	 MOUNTING KIT SPY 39/52 TRIMLESS O.F.A. Required
 Lintel + plaster	 MOUNTING KIT SPY 39/52 TRIMLESS O.F.A. Required
 Hollow-core slab + plaster	 MOUNTING KIT SPY 39/52 TRIMLESS O.F.A. Required
 Stretched ceiling	 MOUNTING KIT SPY 39/52 TRIMLESS CSC Required
	 MOUNTING KIT SPY 39/52 TRIMLESS WSC Required

SPY 52 TRIMLESS SOFT 93045 FBR

19812 9030 FBR


FINISH YOUR SPECIFICATION

LED power supplies

#


300 90 64 LED POWER SUPPLY MULTI-POWER DIM7

1(1)

☐


300 90 68 LED POWER SUPPLY MULTI-POWER DIM5

1(1)

☐



300 90 69 LED POWER SUPPLY MULTI-POWER HV DIM9

1->3(3)

☐



300 90 124 LED POWER SUPPLY MULTI-POWER DIM7

1(1)

☐



300 90 125 LED POWER SUPPLY MULTI-POWER MINI DIM5

1(1)

☐



21012 0095 LED POWER SUPPLY 250mA-DC / 10W DIM5

1

☐


21012 0268 LED POWER SUPPLY MULTI POWER 200-350 / 15W DIM8

1

☐


21012 0298 LED POWER SUPPLY MULTI POWER 250-900 / 20W DIM8

1

☐

SPY 52 TRIMLESS SOFT 93045 FBR

19812 9030 FBR

Mounting kits



15212 2030 MOUNTING KIT SPY 39/52 TRIMLESS O.F.A.

☐

Mounting kits stretched ceiling



15212 0080 MOUNTING KIT SPY 39/52 TRIMLESS CSC

☐









15212 0160 MOUNTING KIT SPY 39/52 TRIMLESS WSC

☐

SPY 52 TRIMLESS SOFT 93045 FBR

19812 9030 FBR


Light altering devices

	19810 0010 B HONEYCOMB 42 SINGLE USE B	<input type="checkbox"/>
	19810 0020 LINEAR SPREAD LENS 42	<input type="checkbox"/>
	19810 0030 SPREAD LENS 42	<input type="checkbox"/>
	19810 0040 SOFTENING LENS 42	<input type="checkbox"/>
	19810 0050 GLASS SBL 42	<input type="checkbox"/>
	19810 0060 B HONEYCOMB 42 DOUBLE USE B	<input type="checkbox"/>



SPY 52 TRIMLESS SOFT 93045 FBR

19812 9030 FBR

Finish your product

 <div><div>40</div><div>19810 0100 B</div><div>SPY 52 TUBE B</div></div>	<input type="checkbox"/>
<div><div>19810 0100 FBR</div><div>SPY 52 TUBE FBR</div></div>	<input type="checkbox"/>
<div><div>19810 0100 FG</div><div>SPY 52 TUBE FG</div></div>	<input type="checkbox"/>
<div><div>19810 0100 GC</div><div>SPY 52 TUBE GC</div></div>	<input type="checkbox"/>
<div><div>19810 0100 W</div><div>SPY 52 TUBE W</div></div>	<input type="checkbox"/>

Replaceable reflector / lens

 <div><div>18</div><div>19810 0180</div><div>SPY 52 REFLECTOR 20°</div></div>	<input type="checkbox"/>
 <div><div>18</div><div>19810 0190</div><div>SPY 52 REFLECTOR 45°</div></div>	<input type="checkbox"/>

Notes: