




CONNECTION TRIMLESS O.F.A.

328 10 03



[View on website](#)



General info	
LOCATION	indoor
CUTOUT SHAPE/SIZE (MM)	round - 62 (CONCRETE: 102)
RECESSED DEPTH (MM)	80
THICKNESS OF MOUNTING SURFACE (MM)	9 or 12
INGRESS PROTECTION	IP20
WEIGHT (KG)	0.1
INFORMATION	INCL 1 x CONNECTOR 2 x 2,5mm ² / 4A / 250V + PE Can be used to suspend luminaires on power cable up to 3kg
Electrical info	
CLASS	I

For detailed installation instructions, please consult the manual : [328_10_03_HAND.pdf](#)

WHERE USED

274 96 06 26 ED5	SUPERNOVA LINE 65 TW DOWN-UP DIM5
274 96 09 26 ED5	SUPERNOVA LINE 95 TW DOWN-UP DIM5
274 96 12 26 ED5	SUPERNOVA LINE 125 TW DOWN-UP DIM5
279 773 811 921	MICROSPY 39 C 92745
279 773 811 931	MICROSPY 39 C 93045
308 07 03 822	SUPER-OH! 70 82720
308 07 03 832	SUPER-OH! 70 83020
308 07 05 00	SUPER-OH! 70
308 07 06 822	SUPER-OH! 70 DOWN-UP 82720
308 07 06 832	SUPER-OH! 70 DOWN-UP 83020
308 12 06 822	SUPER-OH! 120 82720
308 12 06 832	SUPER-OH! 120 83020
308 12 07 00	SUPER-OH! 120
308 12 12 822	SUPER-OH! 120 DOWN-UP 82720
308 12 12 832	SUPER-OH! 120 DOWN-UP 83020
308 17 08 822	SUPER-OH! 170 82720
308 17 08 832	SUPER-OH! 170 83020
308 17 10 00	SUPER-OH! 170
308 17 16 822	SUPER-OH! 170 DOWN-UP 82720
308 17 16 832	SUPER-OH! 170 DOWN-UP 83020
321 107 92	SUPERLOOP HC 70 SBL 927
321 107 93	SUPERLOOP HC 70 SBL 930

DELTALIGHT

CONNECTION TRIMLESS O.F.A.

328 10 03

321 109 92	SUPERLOOP HC 90 SBL 927
321 109 93	SUPERLOOP HC 90 SBL 930
321 112 92	SUPERLOOP HC 120 SBL 927
321 112 93	SUPERLOOP HC 120 SBL 930
321 117 92	SUPERLOOP HC 170 SBL 927
321 117 93	SUPERLOOP HC 170 SBL 930
321 207 93	SUPERLOOP HC 70 SPR 930
321 209 93	SUPERLOOP HC 90 SPR 930
321 212 93	SUPERLOOP HC 120 SPR 930
321 217 93	SUPERLOOP HC 170 SPR 930
377 98 51	HDL75 - CURRENT SUPPLY 3 x 0,75mm ² 1,6m
377 98 56	HDL75 - CURRENT SUPPLY 3 x 0,75mm ² 6,0m
377 99 51	HDL75 - CURRENT SUPPLY 5 x 0,75mm ² 1,6m
377 99 56	HDL75 - CURRENT SUPPLY 5 x 0,75mm ² 6,0m
404 12 93	ONE-AND-ONLY P12 DOWN-UP 930
404 12 93 ED1	ONE-AND-ONLY P12 DOWN-UP 930 DIM1
404 20 93	ONE-AND-ONLY P20 DOWN-UP 930
404 20 93 ED1	ONE-AND-ONLY P20 DOWN-UP 930 DIM1
404 20 93 ED5	ONE-AND-ONLY P20 DOWN-UP 930 DIM5
418 481 07	SUPERLOOP HC 70 MDL
418 481 09	SUPERLOOP HC 90 MDL
418 481 12	SUPERLOOP HC 120 MDL
418 481 17	SUPERLOOP HC 170 MDL
418 482 106	SUPERLOOP S HC 106 MDL
418 482 109	SUPERLOOP S HC 109 MDL
418 482 211	SUPERLOOP S HC 211 MDL
418 482 217	SUPERLOOP S HC 217 MDL
425 97 51	TGL-ON - CURRENT SUPPLY 2 x 0,50mm ² 1,6m
472 121 811 921	HEDRA 391 C 92745
472 121 811 931	HEDRA 391 C 93045
472 122 811 921	HEDRA 392 C 92745
472 122 811 931	HEDRA 392 C 93045
472 123 811 921	HEDRA 393 C 92745
472 123 811 931	HEDRA 393 C 93045
472 221 01	HEDRA 451 C E27
472 221 922 ED8	HEDRA 451 C 92740 DIM8
472 221 932 ED8	HEDRA 451 C 93040 DIM8
472 222 01	HEDRA 452 C E27
472 222 922 ED8	HEDRA 452 C 92740 DIM8
472 222 932 ED8	HEDRA 452 C 93040 DIM8
472 321 00	HEDRA 621 C Hi
472 322 00	HEDRA 622 C Hi
15225 0280	SUSPENSION SET 28 3x0,75 3m
15225 0300	SUSPENSION SET 30 2x0,75 1,6m
15225 0330	SUSPENSION SET 33 2x0,75 1,6m
20549 9300	SUPERLOOP HC 200 SBL 930
20550 9300	SUPERLOOP HC 250 SBL 930
20551 9300	SUPERLOOP HC 300 SBL 930
20552 9300	SUPERLOOP HC 350 SBL 930
20553 9300	SUPERLOOP HC 400 SBL 930
20554 9300	SUPERLOOP HC 500 SBL 930
20555 0000	SUPERLOOP HC 200 MDL
20556 0000	SUPERLOOP HC 250 MDL
20557 0000	SUPERLOOP HC 300 MDL
20558 0000	SUPERLOOP HC 350 MDL
20559 0000	SUPERLOOP HC 400 MDL
20560 0000	SUPERLOOP HC 500 MDL
20561 9200	SUPERLOOP PLUS HC 70 SBL 927
20561 9300	SUPERLOOP PLUS HC 70 SBL 930
20562 9200	SUPERLOOP PLUS HC 90 SBL 927
20562 9300	SUPERLOOP PLUS HC 90 SBL 930
20563 9200	SUPERLOOP PLUS HC 120 SBL 927
20563 9300	SUPERLOOP PLUS HC 120 SBL 930
20564 0000	SUPERLOOP PLUS HC 70 MDL
20565 0000	SUPERLOOP PLUS HC 90 MDL
20566 0000	SUPERLOOP PLUS HC 120 MDL
20570 9200	SUPERLOOP HC SBL OVAL S 927
20570 9300	SUPERLOOP HC SBL OVAL S 930
20571 9200	SUPERLOOP HC SBL OVAL M 927
20571 9300	SUPERLOOP HC SBL OVAL M 930
20572 9200	SUPERLOOP SLIM IN 70 SBL 927
20572 9300	SUPERLOOP SLIM IN 70 SBL 930
20573 9200	SUPERLOOP SLIM IN 90 SBL 927
20573 9300	SUPERLOOP SLIM IN 90 SBL 930
20574 9200	SUPERLOOP SLIM IN 120 SBL 927

DELTALIGHT

CONNECTION TRIMLESS O.F.A.

328 10 03

20574 9300	SUPERLOOP SLIM IN 120 SBL 930
20575 9200	SUPERLOOP SLIM IN 170 SBL 927
20575 9300	SUPERLOOP SLIM IN 170 SBL 930
20576 9200	SUPERLOOP SLIM OUT 70 SBL 927
20576 9300	SUPERLOOP SLIM OUT 70 SBL 930
20577 9200	SUPERLOOP SLIM OUT 90 SBL 927
20577 9300	SUPERLOOP SLIM OUT 90 SBL 930
20578 9200	SUPERLOOP SLIM OUT 120 SBL 927
20578 9300	SUPERLOOP SLIM OUT 120 SBL 930
20579 9200	SUPERLOOP SLIM OUT 170 SBL 927
20579 9300	SUPERLOOP SLIM OUT 170 SBL 930
20580 9200	SUPERLOOP SLIM DOWN 70 SBL 927
20580 9300	SUPERLOOP SLIM DOWN 70 SBL 930
20582 9200	SUPERLOOP SLIM DOWN 120 SBL 927
20582 9300	SUPERLOOP SLIM DOWN 120 SBL 930
20616 9300	SUPERNOVA LINE 65 DOWN-UP 930
20616 9301	SUPERNOVA LINE 65 DOWN-UP 930 DIM1
20616 9305	SUPERNOVA LINE 65 DOWN-UP 930 DIM5
20618 9300	SUPERNOVA LINE 95 DOWN-UP 930
20618 9301	SUPERNOVA LINE 95 DOWN-UP 930 DIM1
20618 9305	SUPERNOVA LINE 95 DOWN-UP 930 DIM5
20620 9300	SUPERNOVA LINE 125 DOWN-UP 930
20620 9301	SUPERNOVA LINE 125 DOWN-UP 930 DIM1
20620 9305	SUPERNOVA LINE 125 DOWN-UP 930 DIM5
20739 9300	SUPER-OH! SLIM 80 C SBL DOWN-UP 930
20739 9304	SUPER-OH! SLIM 80 C SBL DOWN-UP 930 DIM4
20740 9300	SUPER-OH! SLIM 120 C SBL DOWN-UP 930
20740 9304	SUPER-OH! SLIM 120 C SBL DOWN-UP 930 DIM4
23359 2120	SLM - CURRENT SUPPLY SET 2 x 0,75mm² 1,6m MDL
23359 2220	SLM - CURRENT SUPPLY SET 2 x 0,75mm² 1,6m BLACK MDL
23910 0000	MILES C1 E27 PINK
23911 0000	MILES C1 E27 SMOKE
23912 0000	MILES C1 E27 MIST
23913 0000	MILES C1 E27 AMBER
23914 0000	MILES C2 E27 PINK
23915 0000	MILES C2 E27 SMOKE
23916 0000	MILES C2 E27 MIST
23917 0000	MILES C2 E27 AMBER
23918 0000	MILES C3 E27 PINK
23919 0000	MILES C3 E27 SMOKE
23920 0000	MILES C3 E27 MIST
23921 0000	MILES C3 E27 AMBER
23922 0000	MILES C4 E27 PINK
23923 0000	MILES C4 E27 SMOKE
23924 0000	MILES C4 E27 MIST
23925 0000	MILES C4 E27 AMBER
23926 9230	MILES C1 PINK 92750
23927 9230	MILES C1 SMOKE 92750
23928 9230	MILES C1 MIST 92750
23929 9230	MILES C1 AMBER 92750
23930 9230	MILES C2 PINK 92750
23931 9230	MILES C2 SMOKE 92750
23932 9230	MILES C2 MIST 92750
23933 9230	MILES C2 AMBER 92750
23934 9230	MILES C3 PINK 92750
23935 9230	MILES C3 SMOKE 92750
23936 9230	MILES C3 MIST 92750
23937 9230	MILES C3 AMBER 92750
23938 9230	MILES C4 PINK 92750
23939 9230	MILES C4 SMOKE 92750
23940 9230	MILES C4 MIST 92750
23941 9230	MILES C4 AMBER 92750
24811 9220	LASS-OH! 6060 92734
24811 9320	LASS-OH! 6060 93034
24812 9220	LASS-OH! 60110 92734
24812 9320	LASS-OH! 60110 93034
24813 9220	LASS-OH! 60160 92734
24813 9320	LASS-OH! 60160 93034
24815 9220	LASS-OH! L150-2 92734
24815 9320	LASS-OH! L150-2 93034
24816 9220	LASS-OH! L150-3 92734
24816 9320	LASS-OH! L150-3 93034
24817 9220	LASS-OH! L210-3 92734
24817 9320	LASS-OH! L210-3 93034
24818 9220	LASS-OH! L210-4 92734

DELTA LIGHT

CONNECTION TRIMLESS O.F.A.

328 10 03

24818 9320	LASS-OH! L210-4 93034
24819 9220	LASS-OH! L330-6 92734
24819 9320	LASS-OH! L330-6 93034
24820 9220	LASS-OH! L330-4 92734
24820 9320	LASS-OH! L330-4 93034
24821 9220	LASS-OH! R65 - 3 92734
24821 9320	LASS-OH! R65 - 3 93034
24822 9220	LASS-OH! R90 - 4 92734
24822 9320	LASS-OH! R90 - 4 93034
25014 9210	NEEDLE 1 TRC 92713
25014 9220	NEEDLE 1 TRC 92733
25014 9310	NEEDLE 1 TRC 93013
25014 9320	NEEDLE 1 TRC 93033
25015 9210	NEEDLE 1 TRC OK 92713
25015 9220	NEEDLE 1 TRC OK 92733
25015 9310	NEEDLE 1 TRC OK 93013
25015 9320	NEEDLE 1 TRC OK 93033
25570 8320	INFORM SQ P392-6 DOWN 83067
25570 9220	INFORM SQ P392-6 DOWN 92767
25570 9320	INFORM SQ P392-6 DOWN 93067
25571 8320	INFORM SQ P392-6 DOWN-UP 83067
25571 9220	INFORM SQ P392-6 DOWN-UP 92767
25571 9320	INFORM SQ P392-6 DOWN-UP 93067
25572 8320	INFORM SQ P475-9 DOWN 83067
25572 9220	INFORM SQ P475-9 DOWN 92767
25572 9320	INFORM SQ P475-9 DOWN 93067
25573 8320	INFORM SQ P475-9 DOWN-UP 83067
25573 9220	INFORM SQ P475-9 DOWN-UP 92767
25573 9320	INFORM SQ P475-9 DOWN-UP 93067
25574 8320	INFORM SQ P585-9 DOWN 83067
25574 9220	INFORM SQ P585-9 DOWN 92767
25574 9320	INFORM SQ P585-9 DOWN 93067
25575 8320	INFORM SQ P585-9 DOWN-UP 83067
25575 9220	INFORM SQ P585-9 DOWN-UP 92767
25575 9320	INFORM SQ P585-9 DOWN-UP 93067
25817 0000	MANTELO GLASS L1523 E27 AMBER
25818 0000	MANTELO GLASS L1523 E27 SMOKE
25819 9230	MANTELO GLASS L1523 LED AMBER 92750
25820 9230	MANTELO GLASS L1523 LED SMOKE 92750
25821 0000	MANTELO GLASS L2231 E27 AMBER
25822 0000	MANTELO GLASS L2231 E27 SMOKE
25823 9230	MANTELO GLASS L2231 LED AMBER 92750
25824 9230	MANTELO GLASS L2231 LED SMOKE 92750
26511 7324	CONFORM P14 DOWN-UP 953067 DIM4
26511 7424	CONFORM P14 DOWN-UP 954067 DIM4
26512 7324	CONFORM P20 DOWN-UP 953067 DIM4
26512 7424	CONFORM P20 DOWN-UP 954067 DIM4
26513 7324	CONFORM P28 DOWN-UP 953067 DIM4
26513 7424	CONFORM P28 DOWN-UP 954067 DIM4
26514 7320	CONFORM P14 PDS DOWN-UP 953067
26514 7420	CONFORM P14 PDS DOWN-UP 954067
26515 7320	CONFORM P20 PDS DOWN-UP 953067
26515 7420	CONFORM P20 PDS DOWN-UP 954067
26516 7320	CONFORM P28 PDS DOWN-UP 953067
26516 7420	CONFORM P28 PDS DOWN-UP 954067
26812 9220	INFORM R1 DOWN-UP 92748
26812 9320	INFORM R1 DOWN-UP 93048
26814 9225	INFORM R1+ DOWN-UP 92748 DIM5
26814 9325	INFORM R1+ DOWN-UP 93048 DIM5
26818 9220	INFORM R2 DOWN-UP 92748
26818 9320	INFORM R2 DOWN-UP 93048
26820 9225	INFORM R2+ DOWN-UP 92748 DIM5
26820 9325	INFORM R2+ DOWN-UP 93048 DIM5
26823 9220	INFORM R3 DOWN-UP 92748
26823 9320	INFORM R3 DOWN-UP 93048
26825 9220	INFORM R4 C DOWN 92748
26825 9320	INFORM R4 C DOWN 93048
26826 9220	INFORM R4 C DOWN-UP 92748
26826 9320	INFORM R4 C DOWN-UP 93048
28056 9304	MULTINOVA 255 930 DIM4
28057 9304	MULTINOVA 255 PRISM 930 DIM4
28058 9304	MULTINOVA 255 SMOKE 930 DIM4
28059 9005	MULTINOVA 255 TW 930 DIM5
28060 9005	MULTINOVA 255 TW PRISM 930 DIM5
28061 9005	MULTINOVA 255 SOFT 930 DIM5

CONNECTION TRIMLESS O.F.A.

328 10 03

28062 9304	MULTINOVA 355 930 DIM4
28063 9304	MULTINOVA 355 PRISM 930 DIM4
28064 9304	MULTINOVA 355 SMOKE 930 DIM4
28065 9005	MULTINOVA 355 TW 930 DIM5
28066 9005	MULTINOVA 355 TW PRISM 930 DIM5
28067 9005	MULTINOVA 355 SOFT 930 DIM5
28211 9300	ZOOVER 120 LIGHT GREY 930
28211 9304	ZOOVER 120 LIGHT GREY 930 DIM4
28212 9300	ZOOVER 120 DARK GREY 930
28212 9304	ZOOVER 120 DARK GREY 930 DIM4
28213 9300	ZOOVER 140 LIGHT GREY 930
28213 9304	ZOOVER 140 LIGHT GREY 930 DIM4
28214 9300	ZOOVER 140 DARK GREY 930
28214 9304	ZOOVER 140 DARK GREY 930 DIM4
28215 0005	ZOOVER 4CLIP 120 LIGHT GREY DIM5
28216 0005	ZOOVER 4CLIP 120 DARK GREY DIM5
28217 0005	ZOOVER 4CLIP 140 LIGHT GREY DIM5
28218 0005	ZOOVER 4CLIP 140 DARK GREY DIM5
28219 9300	ZOOVER 120 DOWN-UP LIGHT GREY 930
28219 9304	ZOOVER 120 DOWN-UP LIGHT GREY 930 DIM4
28220 9300	ZOOVER 120 DOWN-UP DARK GREY 930
28220 9304	ZOOVER 120 DOWN-UP DARK GREY 930 DIM4
28221 9300	ZOOVER 140 DOWN-UP LIGHT GREY 930
28221 9304	ZOOVER 140 DOWN-UP LIGHT GREY 930 DIM4
28222 9300	ZOOVER 140 DOWN-UP DARK GREY 930
28222 9304	ZOOVER 140 DOWN-UP DARK GREY 930 DIM4
28815 9230	CUPPA C 92740
28815 9330	CUPPA C 93040
28816 9030	CUPPA C SOFT 93040
29914 0000	HIGH PROFILE C E27
31000 3100	OML50/50+ C - CURRENT SUPPLY SET 3 x 0,75mm ² 1,6m BLACK
31000 3110	OML50/50+ C - CURRENT SUPPLY SET 3 x 0,75mm ² 1,6m GREY
31000 3120	OML50/50+ C - CURRENT SUPPLY SET 3 x 0,75mm ² 1,6m TRANSPARENT
31000 3300	OML50/50+ C - CURRENT SUPPLY SET 3 x 0,75mm ² 3,0m BLACK
31000 3310	OML50/50+ C - CURRENT SUPPLY SET 3 x 0,75mm ² 3,0m GREY
31000 3320	OML50/50+ C - CURRENT SUPPLY SET 3 x 0,75mm ² 3,0m TRANSPARENT
31000 5100	OML50/50+ C - CURRENT SUPPLY SET 5 x 0,75mm ² 1,6m BLACK
31000 5110	OML50/50+ C - CURRENT SUPPLY SET 5 x 0,75mm ² 1,6m GREY
31000 5120	OML50/50+ C - CURRENT SUPPLY SET 5 x 0,75mm ² 1,6m TRANSPARENT
31000 5300	OML50/50+ C - CURRENT SUPPLY SET 5 x 0,75mm ² 3,0m BLACK
31000 5310	OML50/50+ C - CURRENT SUPPLY SET 5 x 0,75mm ² 3,0m GREY
31000 5320	OML50/50+ C - CURRENT SUPPLY SET 5 x 0,75mm ² 3,0m TRANSPARENT
31100 0000	OML50 C - PROFILE
31101 0000	OML50 CT - PROFILE

Notes: